

Poker Cards Analysis - July 2023

The Directors

Entain Plc

This is to confirm that iTech Labs has examined the game logs for Poker games for the period **July 01, 2023** to **July 31, 2023** as recorded by the respective game servers and analyzed the Poker cards for statistical randomness. The results of the analysis are given below.

For details on the gaming sites serviced by the Entain Plc game servers and used in this audit refer to the <u>List.</u>

1. Poker hand types statistics

These calculations were done for Royal Flush, Straight Flush, Four of a Kind, Full House, Flush, Straight, 3 of a Kind, 2 pairs, 1 Pair, High Card.

The Poker hand types analysis involved creating subsets of data and conducting Chi-square tests on each subset.

The null hypothesis for the chi-square test is that the observed frequencies of each type of hand matches the theoretical values for a deck that has been shuffled using a perfect random number generator. The p-values observed in these multiple tests are expected to follow a uniform distribution for the range 0.0 to 1.0.

The analysis performs a KS Test (Kolmogorov-Smirnov test) for uniform distribution on the observed pvalues, and the combined p-value result of this test is taken as the final result of the Poker hand types statistics tests.

.1 Poker hand types statistics for 52 cards deck:					
Test No.	DOF	ChiSqr	P-Value		
1	9	8.84	0.45229		
2	9	9.85	0.36262		
3	9	13.18 🌅	0.15478		
4	9	5.80	0.75996		
5	9	6.47	0.69189		
6	9	9.39	0.40233		
7	9	5.15	0.82086		
8	9	6.51	0.68808		
9	9	3.39	0.94679		
10	9	5.63	0.77614		
11	9	2.94	0.96648		
12	9	3.81	0.92331		
13	9	3.93	0.91592		
14	9	17.53	0.04097		
15	9	7.58	0.57718		
16	9	5.67	0.77228		
17	9	3.45	0.94388		
18	9	11.53	0.24086		
19	9	11.16	0.26475		
20	9	14.48	0.10617		
21	9	4.06	0.90722		
22	9	15.59	0.07587		
23	9	9.21	0.41815		
24	9	9.14	0.42404		
25	9	11.25	0.25921		
26	9	4.57	0.86999		
27	9	3.60	0.93579		

1.1 Poker hand types statistics for 52 cards deck:

289 6.13 0.72693 29 9 14.73 0.09855 30 9 10.89 0.28319 31 9 9.63 0.38124 32 9 15.01 0.09060 33 9 8.65 0.46988 34 9 12.25 0.19970 35 9 10.62 0.30251 36 9 5.81 0.75841 37 9 9.44 0.39762 38 9 12.45 0.18922 39 9 10.39 0.32014 40 9 11.91 0.21824 41 9 17.40 0.04278 42 9 7.54 0.58157 43 9 11.07 0.27096 44 9 11.18 0.26361 45 9 8.93 0.44398 46 9 4.53 0.87311 47 9 8.86 0.44985 48 9 4.68 0.87738 49 9 10.79 0.29008 50 9 6.53 0.68598 51 9 6.37 0.70280 52 9 9.68 0.37685 53 9 4.51 0.87493 54 9 3.58 0.93696 55 9 11.38 0.25055 56 9 8.84 0.45193 57 9 8.31 0.50347 58 9 12.00 0.21338
309 10.89 0.28319 31 9 9.63 0.38124 32 9 15.01 0.09060 33 9 8.65 0.46988 34 9 12.25 0.19970 35 9 10.62 0.30251 36 9 5.81 0.75841 37 9 9.44 0.39762 38 9 12.45 0.18922 39 9 10.39 0.32014 40 9 11.91 0.21824 41 9 17.40 0.04278 42 9 7.54 0.58157 43 9 11.07 0.27096 44 9 11.18 0.26361 45 9 8.93 0.44398 46 9 4.53 0.87311 47 9 8.86 0.44985 48 9 4.48 0.87738 49 9 10.79 0.29008 50 9 6.53 0.68598 51 9 6.37 0.70280 52 9 9.68 0.37685 53 9 4.51 0.87493 54 9 3.58 0.93696 55 9 11.38 0.52055 56 9 8.84 0.45193 57 9 8.31 0.5037 58 9 12.24 0.19467 61 9 3.44 0.94434 62 9 6.50 0.68880 6
3199.630.38124 32 915.010.09060 33 98.650.46988 34 912.250.19970 35 910.620.30251 36 95.810.75841 37 99.440.39762 38 912.450.18922 39 910.390.32014 40 911.910.21824 41 917.400.04278 42 97.540.58157 43 911.070.27096 44 911.180.26361 45 98.930.44398 46 94.530.87311 47 98.860.44985 48 94.480.87738 49 910.790.29008 50 96.530.68598 51 96.370.70280 52 99.680.37685 53 94.510.87493 54 93.580.93696 55 911.380.25055 56 98.840.45193 57 98.310.50347 58 912.240.18431 60 912.340.19467 61 93.440.94434 62 96.500.68880 63 910.770.29201 64 910.710.29221
32915.010.09060 33 98.650.46988 34 912.250.19970 35 910.620.30251 36 95.810.75841 37 99.440.39762 38 912.450.18922 39 910.390.32014 40 911.910.21824 41 97.540.58157 43 911.070.27096 44 911.180.26361 45 98.930.44398 46 94.530.87311 47 98.860.44985 48 94.480.87738 49 910.790.29008 50 96.530.68598 51 96.370.70280 52 99.680.37685 53 94.510.87493 54 93.580.93696 55 911.380.25055 56 98.840.45193 57 98.310.50347 58 912.000.21338 59 912.340.19467 61 93.440.94434 62 96.500.68880 63 910.770.29201 64 910.710.29622 65 94.080.90615 66 97.600.57490 6
339 8.65 0.46988 34 9 12.25 0.19970 35 9 10.62 0.30251 36 9 5.81 0.75841 37 9 9.44 0.39762 38 9 12.45 0.18922 39 9 10.39 0.32014 40 9 11.91 0.21824 41 9 7.740 0.04278 42 9 7.54 0.58157 43 9 11.07 0.27096 44 9 11.18 0.26361 45 9 8.93 0.44398 46 9 4.53 0.87311 47 9 8.86 0.44985 48 9 4.48 0.87738 49 9 10.79 0.29008 50 9 6.53 0.68598 51 9 6.37 0.70280 52 9 9.68 0.37685 53 9 4.51 0.87493 54 9 3.58 0.93696 55 9 11.38 0.25055 56 9 8.84 0.45193 57 9 8.31 0.50347 58 9 12.00 0.21338 59 9 12.74 0.18431 60 9 16.77 0.29201 64 9 10.77 0.29201 64 9 10.77 0.29201 64 9 10.71 0.29622 <t< td=""></t<>
349 12.25 0.19970 35 9 10.62 0.30251 36 9 5.81 0.75841 37 9 9.44 0.39762 38 9 12.45 0.18922 39 9 10.39 0.32014 40 9 11.91 0.21824 41 9 17.40 0.04278 42 9 7.54 0.58157 43 9 11.07 0.27096 44 9 11.18 0.26361 45 9 8.93 0.44398 46 9 4.53 0.87311 47 9 8.86 0.44985 48 9 4.48 0.87738 49 9 10.79 0.29008 50 9 6.53 0.68598 51 9 6.37 0.70280 52 9 9.68 0.37685 53 9 4.51 0.87493 54 9 3.58 0.93696 55 9 11.38 0.25055 56 9 8.84 0.45193 57 9 8.31 0.50347 58 9 12.00 0.21338 59 9 12.34 0.19467 61 9 3.44 0.90615 66 9 7.60 0.57490 65 9 4.08 0.90615 66 9 7.60 0.57490 67 9 6.93 0.64439 6
349 12.25 0.19970 35 9 10.62 0.30251 36 9 5.81 0.75841 37 9 9.44 0.39762 38 9 12.45 0.18922 39 9 10.39 0.32014 40 9 11.91 0.21824 41 9 7.40 0.04278 42 9 7.54 0.58157 43 9 11.07 0.27096 44 9 11.18 0.26361 45 9 8.93 0.44398 46 9 4.53 0.87311 47 9 8.86 0.44985 48 9 4.48 0.87738 49 9 10.79 0.29008 50 9 6.53 0.68598 51 9 6.37 0.70280 52 9 9.68 0.37685 53 9 4.51 0.87493 54 9 3.58 0.93696 55 9 11.38 0.25055 56 9 8.84 0.45193 57 9 8.31 0.50347 58 9 12.00 0.21338 59 9 12.34 0.19467 61 9 3.44 0.90615 66 9 7.60 0.57490 65 9 4.08 0.90615 66 9 7.60 0.57490 67 9 6.93 0.64439 68
359 10.62 0.30251 36 9 5.81 0.75841 37 9 9.44 0.39762 38 9 12.45 0.18922 39 9 10.39 0.32014 40 9 11.91 0.21824 41 9 17.40 0.04278 42 9 7.54 0.58157 43 9 11.07 0.27096 44 9 11.18 0.26361 45 9 8.93 0.44398 46 9 4.53 0.87311 47 9 8.86 0.44985 48 9 4.48 0.87738 49 9 10.79 0.29008 50 9 6.53 0.68598 51 9 6.37 0.70280 52 9 9.68 0.37685 53 9 4.51 0.87493 54 9 3.58 0.93696 55 9 11.38 0.25055 56 9 8.84 0.45193 57 9 8.31 0.50347 58 9 12.00 0.21338 59 9 12.34 0.19467 61 9 3.44 0.94434 62 9 6.50 0.68880 63 9 10.77 0.29201 64 9 10.71 0.29622 65 9 4.08 0.90615 66 9 7.60 0.57490
369 5.81 0.75841 37 9 9.44 0.39762 38 9 12.45 0.18922 39 9 10.39 0.32014 40 9 11.91 0.21824 41 9 17.40 0.04278 42 9 7.54 0.58157 43 9 11.07 0.27096 44 9 11.18 0.26361 45 9 8.93 0.44398 46 9 4.53 0.87311 47 9 8.86 0.44985 48 9 4.48 0.87738 49 9 10.79 0.29008 50 9 6.53 0.68598 51 9 6.37 0.70280 52 9 9.68 0.37685 53 9 4.51 0.87493 54 9 3.58 0.93696 55 9 11.38 0.25055 56 9 8.84 0.45193 57 9 8.31 0.50347 58 9 12.00 0.21338 59 9 12.34 0.19467 61 9 3.44 0.94434 62 9 6.50 0.68880 63 9 10.77 0.29201 64 9 10.71 0.29622 65 9 4.08 0.90615 66 9 7.60 0.57490 67 9 6.93 0.64439 6
3799.440.39762 38 912.450.18922 39 910.390.32014 40 911.910.21824 41 917.400.04278 42 97.540.58157 43 911.070.27096 44 911.180.26361 45 98.930.44398 46 94.530.87311 47 98.860.44985 48 94.480.87738 49 910.790.29008 50 96.530.68598 51 96.370.70280 52 99.680.37685 53 94.510.87493 54 93.580.93696 55 911.380.25055 56 98.840.45193 57 98.310.50347 58 912.000.21338 59 912.340.19467 61 93.440.94434 62 96.500.68880 63 910.770.29201 64 910.710.29622 65 94.080.90615 66 97.600.57490 67 96.930.64439 68 99.310.40876 69 92.420.98298 70 912.120.20652
389 12.45 0.18922 39 9 10.39 0.32014 40 9 11.91 0.21824 41 9 17.40 0.04278 42 9 7.54 0.58157 43 9 11.07 0.27096 44 9 11.18 0.26361 45 9 8.93 0.44398 46 9 4.53 0.87311 47 9 8.86 0.44985 48 9 4.48 0.87738 49 9 10.79 0.29008 50 9 6.53 0.68598 51 9 6.37 0.70280 52 9 9.68 0.37685 53 9 4.51 0.87493 54 9 3.58 0.93696 55 9 11.38 0.25055 56 9 8.84 0.45193 57 9 8.31 0.50347 58 9 12.00 0.21338 59 9 12.34 0.19467 61 9 3.44 0.94434 62 9 6.50 0.68880 63 9 10.77 0.29201 64 9 10.71 0.29622 65 9 4.08 0.90615 66 9 7.60 0.57490 67 9 6.93 0.64439 68 9 9.31 0.40876 69 9 2.42 0.98298 7
399 10.39 0.32014 40 9 11.91 0.21824 41 9 17.40 0.04278 42 9 7.54 0.58157 43 9 11.07 0.27096 44 9 11.18 0.26361 45 9 8.93 0.44398 46 9 4.53 0.87311 47 9 8.86 0.44985 48 9 4.48 0.87738 49 9 10.79 0.29008 50 9 6.53 0.68598 51 9 6.37 0.70280 52 9 9.68 0.37685 53 9 4.51 0.87493 54 9 3.58 0.93696 55 9 11.38 0.25055 56 9 8.84 0.45193 57 9 8.31 0.50347 58 9 12.00 0.21338 59 9 12.54 0.18431 60 9 12.34 0.19467 61 9 3.44 0.94434 62 9 6.50 0.68880 63 9 10.77 0.29201 64 9 10.71 0.29622 65 9 4.08 0.90615 66 9 7.60 0.57490 67 9 6.93 0.64439 68 9 9.31 0.40876 69 9 2.42 0.98298 7
409 11.91 0.21824 41 9 17.40 0.04278 42 9 7.54 0.58157 43 9 11.07 0.27096 44 9 11.18 0.26361 45 9 8.93 0.44398 46 9 4.53 0.87311 47 9 8.86 0.44985 48 9 4.48 0.87738 49 9 10.79 0.29008 50 9 6.53 0.68598 51 9 6.37 0.70280 52 9 9.68 0.37685 53 9 4.51 0.87493 54 9 3.58 0.93696 55 9 11.38 0.25055 56 9 8.84 0.45193 57 9 8.31 0.50347 58 9 12.00 0.21338 59 9 12.34 0.19467 61 9 3.44 0.94434 62 9 6.50 0.68880 63 9 10.77 0.29201 64 9 10.71 0.29622 65 9 4.08 0.90615 66 9 7.60 0.57490 67 9 6.93 0.64439 68 9 9.31 0.40876 69 9 2.42 0.98298 70 9 12.12 0.20652
419 17.40 0.04278 42 9 7.54 0.58157 43 9 11.07 0.27096 44 9 11.18 0.26361 45 9 8.93 0.44398 46 9 4.53 0.87311 47 9 8.86 0.44985 48 9 4.48 0.87738 49 9 10.79 0.29008 50 9 6.53 0.68598 51 9 6.37 0.70280 52 9 9.68 0.37685 53 9 4.51 0.87493 54 9 3.58 0.93696 55 9 11.38 0.25055 56 9 8.84 0.45193 57 9 8.31 0.50347 58 9 12.00 0.21338 59 9 12.34 0.19467 61 9 3.44 0.94434 62 9 6.50 0.68880 63 9 10.77 0.29201 64 9 10.71 0.29622 65 9 4.08 0.90615 66 9 7.60 0.57490 67 9 6.93 0.64439 68 9 9.31 0.40876 69 9 2.42 0.98298 70 9 12.12 0.20652
4297.540.58157 43 911.070.27096 44 911.180.26361 45 98.930.44398 46 94.530.87311 47 98.860.44985 48 94.480.87738 49 910.790.29008 50 96.530.68598 51 96.370.70280 52 99.680.37685 53 94.510.87493 54 93.580.93696 55 911.380.25055 56 98.840.45193 57 98.310.50347 58 912.000.21338 59 912.540.18431 60 912.340.19467 61 93.440.94434 62 96.500.68880 63 910.770.29201 64 910.710.29622 65 94.080.90615 66 97.600.57490 67 96.930.64439 68 99.310.40876 69 92.420.98298 70 912.120.20652
439 11.07 0.27096 44 9 11.18 0.26361 45 9 8.93 0.44398 46 9 4.53 0.87311 47 9 8.86 0.44985 48 9 4.48 0.87738 49 9 10.79 0.29008 50 9 6.53 0.68598 51 9 6.37 0.70280 52 9 9.68 0.37685 53 9 4.51 0.87493 54 9 3.58 0.93696 55 9 11.38 0.25055 56 9 8.84 0.45193 57 9 8.31 0.50347 58 9 12.00 0.21338 59 9 10.77 0.29201 61 9 3.44 0.94434 62 9 6.50 0.68880 63 9 10.77 0.29201 64 9 10.71 0.29622 65 9 4.08 0.90615 66 9 7.60 0.57490 67 9 6.93 0.64439 68 9 9.31 0.40876 69 9 2.42 0.98298 70 9 12.12 0.20652
449 11.18 0.26361 45 9 8.93 0.44398 46 9 4.53 0.87311 47 9 8.86 0.44985 48 9 4.48 0.87738 49 9 10.79 0.29008 50 9 6.53 0.68598 51 9 6.37 0.70280 52 9 9.68 0.37685 53 9 4.51 0.87493 54 9 3.58 0.93696 55 9 11.38 0.25055 56 9 8.84 0.45193 57 9 8.31 0.50347 58 9 12.00 0.21338 59 9 12.34 0.19467 61 9 3.44 0.94434 62 9 6.50 0.68880 63 9 10.77 0.29201 64 9 10.71 0.29622 65 9 4.08 0.90615 66 9 7.60 0.57490 67 9 6.93 0.64439 68 9 9.31 0.40876 69 9 2.42 0.98298 70 9 12.12 0.20652
459 8.93 0.44398 46 9 4.53 0.87311 47 9 8.86 0.44985 48 9 4.48 0.87738 49 9 10.79 0.29008 50 9 6.53 0.68598 51 9 6.37 0.70280 52 9 9.68 0.37685 53 9 4.51 0.87493 54 9 3.58 0.93696 55 9 11.38 0.25055 56 9 8.84 0.45193 57 9 8.31 0.50347 58 9 12.00 0.21338 59 9 12.34 0.19467 61 9 3.44 0.94434 62 9 6.50 0.68880 63 9 10.77 0.29201 64 9 10.71 0.29622 65 9 4.08 0.90615 66 9 7.60 0.57490 67 9 6.93 0.64439 68 9 9.31 0.40876 69 9 2.42 0.98298 70 9 12.12 0.20652
469 4.53 0.87311 47 9 8.86 0.44985 48 9 4.48 0.87738 49 9 10.79 0.29008 50 9 6.53 0.68598 51 9 6.37 0.70280 52 9 9.68 0.37685 53 9 4.51 0.87493 54 9 3.58 0.93696 55 9 11.38 0.25055 56 9 8.84 0.45193 57 9 8.31 0.50347 58 9 12.00 0.21338 59 9 12.54 0.18431 60 9 12.34 0.19467 61 9 3.44 0.94434 62 9 6.50 0.68880 63 9 10.77 0.29201 64 9 10.71 0.29622 65 9 4.08 0.90615 66 9 7.60 0.57490 67 9 6.93 0.64439 68 9 9.31 0.40876 69 9 2.42 0.98298 70 9 12.12 0.20652
479 8.86 0.44985 48 9 4.48 0.87738 49 9 10.79 0.29008 50 9 6.53 0.68598 51 9 6.37 0.70280 52 9 9.68 0.37685 53 9 4.51 0.87493 54 9 3.58 0.93696 55 9 11.38 0.25055 56 9 8.84 0.45193 57 9 8.31 0.50347 58 9 12.00 0.21338 59 9 12.54 0.18431 60 9 12.34 0.19467 61 9 3.44 0.94434 62 9 6.50 0.68880 63 9 10.77 0.29201 64 9 10.71 0.29622 65 9 4.08 0.90615 66 9 7.60 0.57490 67 9 6.93 0.64439 68 9 9.31 0.40876 69 9 2.42 0.98298 70 9 12.12 0.20652
489 4.48 0.87738 49 9 10.79 0.29008 50 9 6.53 0.68598 51 9 6.37 0.70280 52 9 9.68 0.37685 53 9 4.51 0.87493 54 9 3.58 0.93696 55 9 11.38 0.25055 56 9 8.84 0.45193 57 9 8.31 0.50347 58 9 12.00 0.21338 59 9 12.54 0.18431 60 9 12.34 0.19467 61 9 3.44 0.94434 62 9 6.50 0.68880 63 9 10.77 0.29201 64 9 10.71 0.29622 65 9 4.08 0.90615 66 9 7.60 0.57490 67 9 6.93 0.64439 68 9 9.31 0.40876 69 9 2.42 0.98298 70 9 12.12 0.20652
499 10.79 0.29008 50 9 6.53 0.68598 51 9 6.37 0.70280 52 9 9.68 0.37685 53 9 4.51 0.87493 54 9 3.58 0.93696 55 9 11.38 0.25055 56 9 8.84 0.45193 57 9 8.31 0.50347 58 9 12.00 0.21338 59 9 12.54 0.18431 60 9 12.34 0.19467 61 9 3.44 0.94434 62 9 6.50 0.68880 63 9 10.77 0.29201 64 9 10.71 0.29622 65 9 4.08 0.90615 66 9 7.60 0.57490 67 9 6.93 0.64439 68 9 9.31 0.40876 69 9 2.42 0.98298 70 9 12.12 0.20652
509 6.53 0.68598 51 9 6.37 0.70280 52 9 9.68 0.37685 53 9 4.51 0.87493 54 9 3.58 0.93696 55 9 11.38 0.25055 56 9 8.84 0.45193 57 9 8.31 0.50347 58 9 12.00 0.21338 59 9 12.54 0.18431 60 9 12.34 0.19467 61 9 3.44 0.94434 62 9 6.50 0.68880 63 9 10.77 0.29201 64 9 10.71 0.29622 65 9 4.08 0.90615 66 9 7.60 0.57490 67 9 6.93 0.64439 68 9 9.31 0.40876 69 9 2.42 0.98298 70 9 12.12 0.20652
519 6.37 0.70280 52 9 9.68 0.37685 53 9 4.51 0.87493 54 9 3.58 0.93696 55 9 11.38 0.25055 56 9 8.84 0.45193 57 9 8.31 0.50347 58 9 12.00 0.21338 59 9 12.54 0.18431 60 9 12.34 0.19467 61 9 3.44 0.94434 62 9 6.50 0.68880 63 9 10.77 0.29201 64 9 10.71 0.29622 65 9 4.08 0.90615 66 9 7.60 0.57490 67 9 6.93 0.64439 68 9 9.31 0.40876 69 9 2.42 0.98298 70 9 12.12 0.20652
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
539 4.51 0.87493 54 9 3.58 0.93696 55 9 11.38 0.25055 56 9 8.84 0.45193 57 9 8.31 0.50347 58 9 12.00 0.21338 59 9 12.54 0.18431 60 9 12.34 0.19467 61 9 3.44 0.94434 62 9 6.50 0.68880 63 9 10.77 0.29201 64 9 10.71 0.29622 65 9 4.08 0.90615 66 9 7.60 0.57490 67 9 6.93 0.64439 68 9 9.31 0.40876 69 9 2.42 0.98298 70 9 12.12 0.20652
549 3.58 0.93696 55 9 11.38 0.25055 56 9 8.84 0.45193 57 9 8.31 0.50347 58 9 12.00 0.21338 59 9 12.54 0.18431 60 9 12.34 0.19467 61 9 3.44 0.94434 62 9 6.50 0.68880 63 9 10.77 0.29201 64 9 10.71 0.29622 65 9 4.08 0.90615 66 9 7.60 0.57490 67 9 6.93 0.64439 68 9 9.31 0.40876 69 9 2.42 0.98298 70 9 12.12 0.20652
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
58 9 12.00 0.21338 59 9 12.54 0.18431 60 9 12.34 0.19467 61 9 3.44 0.94434 62 9 6.50 0.68880 63 9 10.77 0.29201 64 9 10.71 0.29622 65 9 4.08 0.90615 66 9 7.60 0.57490 67 9 6.93 0.64439 68 9 9.31 0.40876 69 9 2.42 0.98298 70 9 12.12 0.20652
59912.540.1843160912.340.194676193.440.944346296.500.6888063910.770.2920164910.710.296226594.080.906156697.600.574906796.930.644396899.310.408766992.420.9829870912.120.20652
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
6193.440.944346296.500.6888063910.770.2920164910.710.296226594.080.906156697.600.574906796.930.644396899.310.408766992.420.9829870912.120.20652
6193.440.944346296.500.6888063910.770.2920164910.710.296226594.080.906156697.600.574906796.930.644396899.310.408766992.420.9829870912.120.20652
6296.500.6888063910.770.2920164910.710.296226594.080.906156697.600.574906796.930.644396899.310.408766992.420.9829870912.120.20652
63910.770.2920164910.710.296226594.080.906156697.600.574906796.930.644396899.310.408766992.420.9829870912.120.20652
64910.710.296226594.080.906156697.600.574906796.930.644396899.310.408766992.420.9829870912.120.20652
6594.080.906156697.600.574906796.930.644396899.310.408766992.420.9829870912.120.20652
66 9 7.60 0.57490 67 9 6.93 0.64439 68 9 9.31 0.40876 69 9 2.42 0.98298 70 9 12.12 0.20652
6796.930.644396899.310.408766992.420.9829870912.120.20652
68 9 9.31 0.40876 69 9 2.42 0.98298 70 9 12.12 0.20652
69 9 2.42 0.98298 70 9 12.12 0.20652
70 9 12.12 0.20652
72 9 9.48 0.39442 73 0 0.12 0.53200
73 9 8.12 0.52209 74 0 11.00 0.32471
74 9 11.80 0.22471 75 0 <
75 9 8.52 0.48279
76 9 9.43 0.39835
77 9 4.29 0.89128
78 9 12.20 0.20219
79 9 5.52 0.78645
80 9 2.87 0.96907
81 9 14.23 0.11454
81 9 14.23 0.11454 82 9 17.39 0.04295

84	9	9.52	0.39075
85	9	6.36	0.70355
86	9	4.52	0.87412
87	9	7.46	0.58890
88	9	4.89	0.84364
89	9	4.93	0.84053
90	9	6.24	0.71531
91	9	11.23	0.26048
92	9	5.46	0.79220
93	9	10.69	0.29770
94	9	7.76	0.55899
95	9	7.44	0.59163
96	9	10.42	0.31737
97	9	11.02	0.27449
98	9	8.09	0.52520
99	9	6.60	0.67823
100	9	9.13	0.42580
Combined P-v	alue for all tests	(Using KS method)	0.32085

Notes:

1) The P-values are observed probabilities from the Chi-Square tests. The last row shows the result of the KS Test performed on the p-values for all Chi-Square tests, where there are sufficient data.

1.2 Poker hand types statistics for 36 cards deck:

- Since the number of samples available was insufficient to ensure at least 5 samples in the lowest probability hand 1) type, (Royal Flush), the chi-square test has been performed by merging the Royal Flush and Straight Flush categories.
- 2) As the total number of tests (3) is insufficient to perform a meaningful KS Test, individual p-values from these tests are carried over to the next stage for combining using the Holm's method.
- Since the number of games played each month using 36 card decks is small, the number of samples available this 3) month as well as a few previous months were insufficient to perform a meaningful statistical analysis. Hence the analysis performed this month was done using the cumulative data for the last 4 months - i.e April 2023 to July 2023.

2. Poker rank statistics

The Poker rank analysis aims to establish that the rank of the cards in each position was equally distributed in one of the 13 possible ranks (2, 3, 4, 5, 6, 7, 8, 9, 10, J, Q, K, A) for a 52 card deck and 9 ranks (6, 7, 8, 9, 10, J, Q, K, A) for a 36 card deck.

The Poker rank analysis involved creating subsets of data and conducting Chi-square tests on each subset. The analysis performs a KS Test (Kolmogorov-Smirnov test) for uniform distribution on the observed pvalues, and the combined p-value result of this test is taken as the final result of the Ranks statistics tests.

Test No.	DOF	ChiSqr	P-Value
1	84	80.18	0.59768
2	84	87.68	0.37033
3	84	82.16	0.53654
4	84	74.92	0.75021

2.1 Poker rank statistics for 52 cards deck:

5	84	108.86	0.03543
6	84	80.85	0.57713
7	84	90.14	0.30373
8	84	84.26	0.47144
9	84	75.61	0.73170
10	84	88.87	0.33739
11	84	99.68	0.11657
12	84	90.58	0.29255
13	84	91.73	0.26421
14	84	83.23	0.50332
15	84	104.46	0.06471
16	84	88.46	0.34852
17	84	80.80	0.57875
18	84	80.86	0.57675
19	84	109.54	0.03211
20	84	99.66	0.11677
21	84	70.36	0.85624
22	84	74.78	0.75394
23	84	93.31	0.22831
24	84	97.31	0.15195
25	84	61.31	0.97037
26	84	82.95	0.51195
27	84	64.28	0.94603
28	84	77.70	0.67259
29	84	70.05	0.86221
30	84	70.05	0.80303
31	84	78.35	0.65337
32	84	92.34	0.24999
33	84	91.82	0.26209
33	84	60.82	0.97341
35	84	98.92	0.12715
	_	70.73	
			0.84880
36	84		0.09242
37	84	59.03	0.98242
37 38	84 84	59.03 61.42	0.96965
37 38 39	84 84 84	59.03 61.42 68.40	0.96965 0.89158
37 38 39 40	84 84 84 84 84	59.03 61.42 68.40 87.27	0.96965 0.89158 0.38193
37 38 39 40 41	84 84 84 84 84 84	59.03 61.42 68.40 87.27 98.61	0.96965 0.89158 0.38193 0.13169
37 38 39 40 41 42	84 84 84 84 84 84 84	59.03 61.42 68.40 87.27 98.61 71.00	0.96965 0.89158 0.38193 0.13169 0.84325
37 38 39 40 41 42 43	84 84 84 84 84 84 84 84	59.03 61.42 68.40 87.27 98.61 71.00 81.87	0.96965 0.89158 0.38193 0.13169 0.84325 0.54535
37 38 39 40 41 42 43 44	84 84 84 84 84 84 84 84 84	59.03 61.42 68.40 87.27 98.61 71.00 81.87 87.38	0.96965 0.89158 0.38193 0.13169 0.84325 0.54535 0.37890
37 38 39 40 41 42 43 43 44 45	84 84 84 84 84 84 84 84 84 84	59.03 61.42 68.40 87.27 98.61 71.00 81.87 87.38 86.35	0.96965 0.89158 0.38193 0.13169 0.84325 0.54535 0.37890 0.40874
37 38 39 40 41 42 43 44 45 46	84 84 84 84 84 84 84 84 84 84 84	59.03 61.42 68.40 87.27 98.61 71.00 81.87 87.38 86.35 86.24	0.96965 0.89158 0.38193 0.13169 0.84325 0.54535 0.37890 0.40874 0.41184
37 38 39 40 41 42 43 43 44 45 46 47	84 84	59.03 61.42 68.40 87.27 98.61 71.00 81.87 87.38 86.35 86.24 69.74	0.96965 0.89158 0.38193 0.13169 0.84325 0.54535 0.37890 0.40874 0.41184 0.86803
37 38 39 40 41 42 43 44 45 46 47 48	84 84	59.03 61.42 68.40 87.27 98.61 71.00 81.87 86.35 86.24 69.74 87.69	0.96965 0.89158 0.38193 0.13169 0.84325 0.54535 0.37890 0.40874 0.41184 0.86803 0.36990
37 38 39 40 41 42 43 44 45 46 47 48 49	84 84	59.03 61.42 68.40 87.27 98.61 71.00 81.87 86.35 86.24 69.74 87.69 72.79	0.96965 0.89158 0.38193 0.13169 0.84325 0.54535 0.37890 0.40874 0.41184 0.86803 0.36990 0.80371
37 38 39 40 41 42 43 44 45 46 47 48 49 50	84 84	59.03 61.42 68.40 87.27 98.61 71.00 81.87 87.38 86.35 86.24 69.74 87.69 72.79 87.99	0.96965 0.89158 0.38193 0.13169 0.84325 0.54535 0.37890 0.40874 0.41184 0.86803 0.36990 0.80371 0.36155
37 38 39 40 41 42 43 44 45 46 47 48 49 50 51	84 84	59.03 61.42 68.40 87.27 98.61 71.00 81.87 87.38 86.35 86.24 69.74 87.69 72.79 87.99 81.14	0.96965 0.89158 0.38193 0.13169 0.84325 0.54535 0.37890 0.40874 0.41184 0.86803 0.36990 0.80371 0.36155 0.56815
37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52	84 84	59.03 61.42 68.40 87.27 98.61 71.00 81.87 87.38 86.35 86.24 69.74 87.69 72.79 87.99 81.14 66.17	0.96965 0.89158 0.38193 0.13169 0.84325 0.54535 0.37890 0.40874 0.41184 0.86803 0.36990 0.80371 0.36155 0.56815 0.92426
37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53	84 84	59.03 61.42 68.40 87.27 98.61 71.00 81.87 86.35 86.35 86.24 69.74 87.69 72.79 87.99 81.14 66.17 105.23	0.96965 0.89158 0.38193 0.13169 0.84325 0.54535 0.37890 0.40874 0.41184 0.86803 0.36990 0.80371 0.36155 0.56815 0.92426 0.05844
37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54	84 84	59.03 61.42 68.40 87.27 98.61 71.00 81.87 87.38 86.35 86.24 69.74 87.69 72.79 87.99 81.14 66.17 105.23 78.91	0.96965 0.89158 0.38193 0.13169 0.84325 0.54535 0.37890 0.40874 0.41184 0.86803 0.36990 0.80371 0.36155 0.56815 0.92426 0.05844 0.63653
37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55	84 84	59.03 61.42 68.40 87.27 98.61 71.00 81.87 87.38 86.35 86.24 69.74 87.69 72.79 87.99 81.14 66.17 105.23 78.91 70.56	0.96965 0.89158 0.38193 0.13169 0.84325 0.54535 0.37890 0.40874 0.41184 0.86803 0.36990 0.80371 0.36155 0.56815 0.92426 0.05844 0.63653 0.85214
37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56	84 84	59.03 61.42 68.40 87.27 98.61 71.00 81.87 87.38 86.35 86.24 69.74 87.69 72.79 87.99 81.14 66.17 105.23 78.91	0.96965 0.89158 0.38193 0.13169 0.84325 0.54535 0.37890 0.40874 0.41184 0.86803 0.36990 0.80371 0.36155 0.56815 0.92426 0.05844 0.63653
37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55	84 84	59.03 61.42 68.40 87.27 98.61 71.00 81.87 87.38 86.35 86.24 69.74 87.69 72.79 87.99 81.14 66.17 105.23 78.91 70.56	0.96965 0.89158 0.38193 0.13169 0.84325 0.54535 0.37890 0.40874 0.41184 0.86803 0.36990 0.80371 0.36155 0.56815 0.92426 0.05844 0.63653 0.85214
37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56	84 84	59.03 61.42 68.40 87.27 98.61 71.00 81.87 86.35 86.35 86.24 69.74 87.69 72.79 87.99 81.14 66.17 105.23 78.91 70.56 79.33	0.96965 0.89158 0.38193 0.13169 0.84325 0.54535 0.37890 0.40874 0.41184 0.86803 0.36990 0.80371 0.36155 0.56815 0.92426 0.05844 0.63653 0.85214 0.62369
37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57	84 84	59.03 61.42 68.40 87.27 98.61 71.00 81.87 87.38 86.35 86.24 69.74 87.69 72.79 87.99 81.14 66.17 105.23 78.91 70.56 79.33 84.09	0.96965 0.89158 0.38193 0.13169 0.84325 0.54535 0.37890 0.40874 0.41184 0.86803 0.36990 0.80371 0.36155 0.56815 0.92426 0.05844 0.63653 0.85214 0.62369 0.47666
37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58	84 84	59.03 61.42 68.40 87.27 98.61 71.00 81.87 87.38 86.35 86.35 86.24 69.74 87.69 72.79 87.99 81.14 66.17 105.23 78.91 70.56 79.33 84.09 88.84	0.96965 0.89158 0.38193 0.13169 0.84325 0.54535 0.37890 0.40874 0.41184 0.86803 0.36990 0.80371 0.36155 0.56815 0.92426 0.05844 0.63653 0.85214 0.62369 0.47666 0.33798

61	84	74.04	0.77302
62	84	66.88	0.91480
63	84	102.03	0.08806
64	84	84.85	0.45341
65	84	81.06	0.57057
66	84	74.56	0.75987
67	84	94.98	0.19384
68	84	109.91	0.03046
69	84	89.72	0.31451
70	84	78.70	0.64281
-	84		
71	-	104.08	0.06797
72	84	89.28	0.32634
73	84	57.92	0.98664
74	84	94.13	0.21100
75	84	81.28	0.56373
76	84	83.03	0.50956
77	84	76.65	0.70284
78	84	99.09	0.12465
79	84	76.79	0.69888
80	84	82.63	0.52185
81	84	73.88	0.77717
82	84	66.99	0.91321
83	84	75.83	0.72576
84	84	76.36	0.71115
85	84	55.64	0.99275
86	84	70.01	0.86300
87	84	77.86	0.66772
88	84	107.14	0.04514
89	84	82.44	0.52768
90	84	69.81	0.86667
91	84	104.45	0.06478
92	84	79.08	0.63143
93	84	99.63	0.11727
94	84	59.35	0.98100
95	84	69.24	0.87726
96	84	78.41	0.65152
97	84	60.11	0.97731
98	84	102.08	0.08752
99	84	68.27	0.89370
100	84	81.59	0.55422
Combined P-v	value for all tests	(Using KS method)	0.47426

Notes:

1) The P-values are observed probabilities from the Chi-Square tests. The last row shows the result of the KS Test performed on the p-values for all Chi-Square tests, where there are sufficient data.

2.2 Poker rank statistics for 36 cards deck:

Test No.	Positions	DOF	ChiSqr	P-Value		
1	7	56	50.80	0.67151		
2	7	56	47.86	0.77207		
3	7	56	58.77	0.37429		
4	7	56	50.40	0.68584		
5	7	56	73.75	0.05611		
6	7	56	54.83	0.51921		
7	7	56	49.03	0.73367		
8	7	56	62.26	0.26316		
9	7	56	59.31	0.35579		
10	7	56	61.02	0.30026		
11	7	56	47.04	0.79759		
12	7	56	38.41	0.96499		
13	7	56	69.32	0.10886		
14	7	56	57.39	0.42355		
15	7	56	65.63	0.17754		
Combined P-va	alue for all tests	(Using KS met	hod)	1.00000		

Notes:

 Since the number of games played each month using 36 card decks is small, the number of samples available this month as well as a few previous months were insufficient to perform a meaningful statistical analysis. Hence the analysis performed this month was done using the cumulative data for the last 4 months - i.e April 2023 to July 2023.

3. Poker suits statistics

The Poker suits analysis aims to verify that that the cards dealt exhibit an equal probability of all 4 suits (Clubs, Diamonds, Hearts and Spades) in all positions.

The Poker suits analysis involved creating subsets of data and conducting Chi-square tests on each subset. The analysis performs a KS Test (Kolmogorov-Smirnov test) for uniform distribution on the observed p-values, and the combined p-value result of this test is taken as the final result of the Suits statistics tests.

Test No.	Positions	DOF	ChiSqr	P-Value
1	7	21	38.05	0.01271
2	7	21	17.00	0.71112
3	7	21	30.28	0.08650
4	7	21	14.87	0.82955
5	7	21	23.59	0.31328
6	7	21	13.42	0.89337
7	7	21	11.42	0.95399
8	7	21	19.01	0.58472
9	7	21	10.00	0.97893
10	7	21	30.01	0.09177
11	7	21	13.51	0.88961
12	7	21	16.78	0.72415
13	7	21	10.96	0.96356
14	7	21	27.17	0.16541
15	7	21	20.57	0.48518
16	7	21	16.43	0.74498
17	7	21	14.43	0.85024

3.1 Poker suits statistics for 52 cards deck:

r			r	r
18	7	21	21.03	0.45698
19	7	21	11.39	0.95475
20	7	21	15.05	0.82033
21	7	21	16.27	0.75458
22	7	21	8.83	0.99048
23	7	21	19.90	0.52766
24	7	21	16.36	0.74918
25	7	21	17.80	0.66159
26	7	21	25.88	0.21090
27	7	21	20.47	0.49157
28	7	21	14.04	0.86807
29	7	21	13.37	0.89521
30	7	21	15.81	0.78049
31	7	21	29.30	0.10687
32	7	21	21.23	0.44503
33	7	21	16.22	0.75695
34	7	21	16.57	0.73696
35	7	21	22.95	0.34668
	7			
36		21	22.50	0.37106
37	7	21 21	21.80	0.41119
38	7		30.92	0.07497
39	7	21	24.24	0.28172
40	7	21	18.84	0.59521
41	7	21	11.16	0.95959
42	7	21	15.65	0.78880
43	7	21	15.65	0.78901
44	7	21	19.10	0.57889
45	7	21	20.02	0.52028
46	7	21	31.33	0.06840
47	7	21	18.97	0.58692
48	7	21	13.22	0.90079
49	7	21	17.39	0.68731
50	7	21	27.99	0.14055
51	7	21	20.02	0.51984
52	7	21	32.33	0.05415
53	7	21	28.54	0.12562
54	7	21	20.31	0.50168
55	7	21	25.53	0.22476
56	7	21	17.47	0.68239
57	7	21	30.36	0.08504
58	7	21	62.12	0.00001
59	7	21	24.75	0.25794
60	7	21	22.50	0.37100
61	7	21	21.74	0.41468
62	7	21	27.47	0.11100
63	7	21	17.79	0.66238
64	7	21	19.70	0.54046
65	7	21	24.97	0.24844
66	7	21	23.57	0.24844
67	7	21		
			11.59	0.95015
68	7	21	12.04	0.93859
69	7	21	19.59	0.54738
70	7	21	28.74	0.12045
71	7	21	22.94	0.34734
72	7	21	18.09	0.64360
73	7	21	31.01	0.07347

				1
74	7	21	21.55	0.42565
75	7	21	25.20	0.23877
76	7	21	18.06	0.64550
77	7	21	25.90	0.21022
78	7	21	30.31	0.08598
79	7	21	16.66	0.73179
80	7	21	20.46	0.49226
81	7	21	32.12	0.05696
82	7	21	14.91	0.82730
83	7	21	18.87	0.59336
84	7	21	22.09	0.39435
85	7	21	13.18	0.90233
86	7	21	29.01	0.11385
87	7	21	17.66	0.67021
88	7	21	35.48	0.02501
89	7	21	28.28	0.13244
90	7	21	18.90	0.59175
91	7	21	18.36	0.62600
92	7	21	27.99	0.14031
93	7	21	11.37	0.95518
94	7	21	20.56	0.48594
95	7	21	27.56	0.15306
96	7	21	16.55	0.73798
97	7	21	14.22	0.85981
98	7	21	13.71	0.88182
99	7	21	21.96	0.40195
100	7	21	19.43	0.55741
Combined P-v	value for all tests	(Licing KS moth		0.77582

Notes:

The P-values are observed probabilities from the Chi-Square tests. The last row shows the result of the KS Test performed on the p-values for all Chi-Square tests, where there are sufficient data.

0

_ C

3.2 Poker suits statistics for 36 cards deck:

Test No.	Positions	DOF	ChiSqr	P-Value		
1	7	21	28.08	0.13790		
2	7	21	23.69	0.30842		
3	7	21	21.77	0.41298		
4	7	21	9.78	0.98158		
5	7	21	24.88	0.25240		
6	7	21	19.34	0.56308		
7	7	21	23.10	0.33888		
8	7	21	22.10	0.39354		
9	7	21	16.38	0.74817		
10	7	21	21.31	0.44004		
11	7	21	30.83	0.07650		
12	7	21	14.87	0.82932		
13	7	21	20.79	0.47171		
14	7	21	21.80	0.41111		
15	7	21	11.84	0.94384		
Combined P-	value for all test	s (Using KS m	nethod)	0.95285		

Notes:

1) Since the number of games played each month using 36 card decks is small, the number of samples available this month as well as a few previous months were insufficient to perform a meaningful statistical analysis. Hence the

analysis performed this month was done using the cumulative data for the last 4 months - i.e April 2023 to July 2023.

4. Summary of the analysis

4.1 Summary of the analysis of 52 cards deck:

The analysis of 52 cards completes by combining the result of the KS Test performed in the 3 types of analysis (Hand Types, Ranks and Suits) for 52 card decks using the Holm's method and producing a single Combined P -value.

The combined p-value produced using the Holm's method is used as indication for statistical randomness.

Combination of p-values using Holm's Method		
Test	P-Value	P-Adjusted
Ranks Test	0.47426	0.96255
Suits Test	0.77582	0.96255
Hand Types Test	0.32085	0.96255
Combined P-Value using Holm's Method		0.96255

Notes:

1) The combined p-value of all statistical tests using Holm's Method conducted for 52 card decks is greater than the minimum value of 0.05 which indicates that the randomness of the observed data falls within 95% confidence limits.

The final outcome of the analysis of 52 cards deck indicates that the RNG is working correctly.

4.2 Summary of the analysis of 36 cards deck:

The analysis of 36 cards completes by combining the result of the KS Test performed in the 3 types of analysis (Hand Types, Ranks and Suits) for 36 card decks using the Holm's method and producing a single Combined P -value. Where there is insufficient data the individual Chi-Square tests results are used in the Holm's method for producing a combined p-value.

The combined p-value produced from the using the Holm's method is used as indication for statistical randomness.

Combination of p-values using Holm's Method		
Test	P-Value	P-Adjusted
Ranks Test	1.00000	1.00000
Suits Test	0.95285	1.00000
Hand Types Test 1	0.47917	1.00000
Hand Types Test 2	0.70892	1.00000
Hand Types Test 3	0.53358	1.00000
	·	
Combined P-Value using Holm's Method		1.00000

Notes:

 The combined p-value of all statistical tests using Holm's Method conducted for 36 card decks is greater than the minimum value of 0.05 which indicates that the randomness of the observed data falls within 95% confidence limits.

2) Since the number of games played each month using 36 card decks is small, the number of samples available this month as well as a few previous months were insufficient to perform a meaningful statistical analysis. Hence the analysis performed this month was done using the cumulative data for the last 4 months - i.e April 2023 to July 2023.

The final outcome of the analysis of 36 cards deck indicates that the RNG is working correctly.

5. Conclusion

Analysis of actual data from game logs for 'Hand Types, 'Ranks' and 'Suits' for **52-card decks** and **36-card decks** indicated statistical randomness.

iTech Labs has done limited sanity checks to verify the integrity of the game logs. iTech Labs also maintains a copy of the game logs for verification purposes. There were a large enough number of game records to give the calculations sufficient statistical power.

We conclude that the Random Number Generator (RNG) is working correctly.

Please click here to see the Original report.

Signed:

Signed:

Kiren Sreekumar Principal Consultant iTech Labs Australia Date: 23 August 2023

Alvin Rizaldi Senior Consultant iTech Labs Australia Date: 23 August 2023

Disclaimer.

While it is not possible to test all possible scenarios in a laboratory environment, iTech Labs has conducted a level of testing appropriate for a component test of this type.